

# **Visual Guard for .NET 2.8**

Visual Guard Sample Repository report

# 1. Repository: Visual Guard Demo Repository

## 1.1. Visual Guard Demo Repository

Property	Value
Description	C:\Program Files\Novalys\Visual Guard 2.7 For .Net\demo repository
Repository Id	5d247d56-2bc6-49a0-adf3-6495b8a4eb90
License key	96867-60E90-67966-C44FA-557B-6C2B
Default name	Visual Guard Sample Repository
License Type	Full Edition
Requires Unique Email	False
Supported Authentication Modes	Visual Guard Authentication,Windows Authentication
Expiration Date	Never expire
Requires Password Question and Answer	False
Maximum number of users	10
Enable Password Reset	True
Password Policy	Minimum password length: 0 Number of non-alphanumeric characters required: 0 Passwords never expire Validation Rule: Validation Message: Password History Length: 0 Number of grace logins: 2147483647 Number of consecutive invalid password attempts: 2147483647 Password attempts window:: 7
Allows to rename user	True
Log enabled	True
Use Update Method	True
Last Modification	2/18/2009 10:00 PM

### List of applications

Name	Description
Visual Guard Console	Allows to administrate the access to Visual Guard Console
Web Sample	Visual Guard WebForm Sample
WebService Sample	
WinForm Sample	Visual Guard WinForm Sample

### List of shared roles

Name	Description
Administrator	
Guest	
HR Employee	
Sales manager	
Sales representative	
UK HR Employee	
UK Sales manager	
UK Sales representative	

### List of users

Name	Description
Admin	This account is the default master administrator of the repository
Guest	
jsmith	You can use this user to test the Visual Guard samples
New.user	
NOVALYS\chris.dufourmantelle	

Unknown Windows account(Name=NOVALYS\Administrateur;SID=S-1-5-21-4262505130-1600361440-3600298171-500)	
Unknown Windows account(Name=NOVALYS\alexandra.delgado;SID=S-1-5-21-4262505130-1600361440-3600298171-1133)	
Unknown Windows account(Name=NOVALYS\karine.feate;SID=S-1-5-21-4262505130-1600361440-3600298171-1214)	
Unknown Windows account(Name=NOVALYS\megan.mcguire;SID=S-1-5-21-4262505130-1600361440-3600298171-1209)	

### 1.1.1. Details of shared roles

#### 1.1.1.1. Administrator

Property	Value
Permission Set	[Web Sample.FullTrust permissions,WebService Sample.Administrator,WinForm Sample.FullTrust permissions]
Last Modification	2/18/2009 10:21 PM
Id	aedaaff2-ecf9-419d-879a-fff59097ad8d
Repository Id	aedaaff2-ecf9-419d-879a-fff59097ad8d

#### Granted Users

Name	Description
Admin	This account is the default master administrator of the repository
Unknown Windows account(Name=NOVALYS\megan.mcguire;SID=S-1-5-21-4262505130-1600361440-3600298171-1209)	

### 1.1.1.2. Guest

Property	Value
Permission Set	[Web Sample.Anonymous permissions,WebService Sample.Anonymous permissions,WinForm Sample.Anonymous permissions]
Last Modification	2/19/2009 10:37 AM
Id	a004a707-34f1-4910-8986-5b670f8b08c1
Repository Id	a004a707-34f1-4910-8986-5b670f8b08c1

### Granted Users

No items

### 1.1.1.3. HR Employee

Property	Value
Permission Set	[WinForm Sample.HR permissions,Web Sample.HR permissions,WebService Sample.HR permissions]
Last Modification	2/18/2009 10:00 PM
Id	c0d6c23e-739f-4335-8bd8-28941e1c05b2
Repository Id	c0d6c23e-739f-4335-8bd8-28941e1c05b2

### Granted Users

No items

#### 1.1.1.4. Sales manager

Property	Value
Permission Set	[WinForm Sample.Sales manager permissions,Web Sample.Sales manager permissions]
Last Modification	2/18/2009 10:00 PM
Id	7ff5e2ea-fd8d-40fd-943b-e68d47b32c3c
Repository Id	7ff5e2ea-fd8d-40fd-943b-e68d47b32c3c

#### Granted Users

No items

### 1.1.1.5. Sales representative

Property	Value
Permission Set	[WinForm Sample.Sales team permissions,Web Sample.Sales team permissions,WebService Sample.Sales representative]
Last Modification	2/18/2009 10:00 PM
Id	4ba29312-b6a4-4c92-aeab-0ef7c05f9a54
Repository Id	4ba29312-b6a4-4c92-aeab-0ef7c05f9a54

### Granted Users

No items

### 1.1.1.6. UK HR Employee

Property	Value
Permission Set	[WinForm Sample.UK HR Permissions,Web Sample.UK HR permissions,WebService Sample.HR permissions]
Last Modification	2/25/2009 3:32 PM
Id	6773f212-a2bd-4482-a262-66af2f624433
Repository Id	6773f212-a2bd-4482-a262-66af2f624433

### Granted Users

Name	Description
jsmith	You can use this user to test the Visual Guard samples
NOVALYS\chris.dufourmantelle	
Unknown Windows account(Name=NOVALYS\Administrateur;SID=S-1-5-21-4262505130-1600361440-3600298171-500)	
Unknown Windows account(Name=NOVALYS\alexandra.delgado;SID=S-1-5-21-4262505130-1600361440-3600298171-1133)	

### 1.1.1.7. UK Sales manager

Property	Value
Permission Set	[WinForm Sample.UK Sales manager permissions,Web Sample.UK Sales manager permissions]
Last Modification	2/18/2009 10:00 PM
Id	9a35a158-2817-4860-aca3-46a0a04d7d2e
Repository Id	9a35a158-2817-4860-aca3-46a0a04d7d2e

### Granted Users

No items

### 1.1.1.8. UK Sales representative

Property	Value
Permission Set	[WinForm Sample.UK Sales team permissions,Web Sample.UK Sales team permissions]
Last Modification	2/19/2009 10:37 AM
Id	8b552482-1a9c-40f2-b38e-16abcd79ad7
Repository Id	8b552482-1a9c-40f2-b38e-16abcd79ad7

### Granted Users

No items

## 1.1.2. Details of applications

### 1.1.2.1. Web Sample

Property	Value
Name	Web Sample
Application Path	C:\Program Files\Novalys\Visual Guard 2.8 For .Net\Sample\CSharpWebSample
Other Assemblies	
Application Type	ASPNET_2_0
Version	1.0.0.1
Anonymous Role	Anonymous
Default Role	Guest
Membership Access Level	Unrestricted
Last Modification	2/18/2009 10:00 PM
Id	2a36d4ec-f1e9-4deb-86e4-918b590c64ea

### List of roles

Name	Description
Anonymous	
Guest	
Membership Manager	Can use the Membership API to create, modify, delete and grant roles to users from the application.
New role	

### List of permission sets

Name	Description
Anonymous permissions	
Common permissions	
FullTrust permissions	
Guest permissions	
HR permissions	
Sales manager permissions	
Sales team permissions	
UK HR permissions	
UK Sales manager permissions	
UK Sales team permissions	

### List of permissions

Name	Description
\Samples\Allow to call restricted method	
\Employees\disable modifications	
\Product\Disallow to administrate categories	
\Customers\Disallow to administrate customers	
\Employees\Disallow to administrate employees	
\Sales Orders\Disallow to administrate sales order	
\Users\Disallow to administrate users	
\Customers\Disallow to edit and delete customers	
\Employees\Disallow to edit and delete employee	
\Sales Orders\Disallow to edit and delete sales orders	
\Employees\Disallow to edit employees of other countries	Disallows to edit all employees of countries different from the country specified in the argument 'Country'
\Common\Display only information on a country	Allows to display only information on a country (employees, sales orders, customers)

\Samples\Permission with argument	
\Samples\Script action sample	

## 1.1.2.1.1. Details of roles

### 1.1.2.1.1.1. Anonymous

Property	Value
Permission Set	[Anonymous permissions]
Last Modification	2/18/2009 10:00 PM
Id	4736c084-ada5-4459-b495-49b1ae8b804c
Repository Id	4736c084-ada5-4459-b495-49b1ae8b804c

## Granted Users

No items

1.1.2.1.1.2. **Guest**

Property	Value
Permission Set	[Guest permissions]
Last Modification	2/18/2009 10:00 PM
Id	a7ebf779-be87-4187-8220-e1444b245d8c
Repository Id	a7ebf779-be87-4187-8220-e1444b245d8c

**Granted Users**

Name	Description
Guest	
New.user	
NOVALYS\chris.dufourmantelle	
Unknown Windows account(Name=NOVALYS\Administrateur;SID=S-1-5-21-4262505130-1600361440-3600298171-500)	
Unknown Windows account(Name=NOVALYS\alexandra.delgado;SID=S-1-5-21-4262505130-1600361440-3600298171-1133)	
Unknown Windows account(Name=NOVALYS\karine.feate;SID=S-1-5-21-4262505130-1600361440-3600298171-1214)	
Unknown Windows account(Name=NOVALYS\megan.mcguire;SID=S-1-5-21-4262505130-1600361440-3600298171-1209)	

### 1.1.2.1.1.3. Membership Manager

Property	Value
Permission Set	(None)
Last Modification	1/1/0001 1:00 AM
Id	3b6df120-abf3-4238-bf24-d5d5a423204f
Repository Id	3b6df120-abf3-4238-bf24-d5d5a423204f

### Granted Users

Name	Description
jsmith	You can use this user to test the Visual Guard samples

#### 1.1.2.1.1.4. **New role**

<b>Property</b>	<b>Value</b>
Permission Set	(None)
Last Modification	9/24/2009 1:21 PM
Id	c0b62a5b-a76d-4878-8e07-f9d36e4a6c13
Repository Id	c0b62a5b-a76d-4878-8e07-f9d36e4a6c13

#### **Granted Users**

No items

## 1.1.2.1.2. Details of permission sets

### 1.1.2.1.2.1. Anonymous permissions

Property	Value
Name	Anonymous permissions
Description	
Can be granted to roles	True
Last Modification	2/18/2009 10:00 PM
Id	bcb971e1-8e2d-4148-8e05-7cfe72ea578d

## Granted Permission Sets

No items

## Granted permissions

Name	Description
\Customers\Disallow to administrate customers	
\Employees\Disallow to administrate employees	
\Product\Disallow to administrate categories	
\Sales Orders\Disallow to administrate sales order	
\Users\Disallow to administrate users	

## Roles

Name	Description
Anonymous	
Guest	

### 1.1.2.1.2.2. Common permissions

Property	Value
Name	Common permissions
Description	
Can be granted to roles	True
Last Modification	2/18/2009 10:00 PM
Id	bf1a4c11-c81b-4e64-b81a-a2736e2da871

### Granted Permission Sets

No items

### Granted permissions

Name	Description
\Samples\Script action sample	

### Roles

No items

### 1.1.2.1.2.3. FullTrust permissions

Property	Value
Name	FullTrust permissions
Description	
Can be granted to roles	True
Last Modification	2/18/2009 10:00 PM
Id	9061cbcd-c56e-4771-a0c7-f4308601d506

### Granted Permission Sets

Name	Description
Common permissions	

### Granted permissions

No items

### Roles

Name	Description
Administrator	

#### 1.1.2.1.2.4. Guest permissions

Property	Value
Name	Guest permissions
Description	
Can be granted to roles	True
Last Modification	2/25/2009 4:59 PM
Id	11806b5a-9157-4a19-aeb3-df9ee0aafc58

#### Granted Permission Sets

Name	Description
Common permissions	

#### Granted permissions

Name	Description
\Customers\Disallow to administrate customers	
\Employees\Disallow to edit and delete employee	
\Product\Disallow to administrate categories	
\Sales Orders\Disallow to administrate sales order	
\Users\Disallow to administrate users	

#### Roles

Name	Description
Guest	

### 1.1.2.1.2.5. HR permissions

Property	Value
Name	HR permissions
Description	
Can be granted to roles	True
Last Modification	2/18/2009 10:00 PM
Id	b6d90298-451a-4312-9970-f957ec3b260f

### Granted Permission Sets

Name	Description
Common permissions	

### Granted permissions

Name	Description
\Customers\Disallow to edit and delete customers	
\Product\Disallow to administrate categories	
\Sales Orders\Disallow to edit and delete sales orders	
\Users\Disallow to administrate users	

### Roles

Name	Description
HR Employee	

### 1.1.2.1.2.6. Sales manager permissions

Property	Value
Name	Sales manager permissions
Description	
Can be granted to roles	True
Last Modification	2/18/2009 10:00 PM
Id	c9ba3080-c9dd-406d-9c0b-21432a1c53a1

### Granted Permission Sets

Name	Description
Common permissions	

### Granted permissions

Name	Description
\Employees\Disallow to edit and delete employee	
\Product\Disallow to administrate categories	
\Samples\Permission with argument(string My Argument=Default value)	
\Users\Disallow to administrate users	

### Roles

Name	Description
Sales manager	

### 1.1.2.1.2.7. Sales team permissions

Property	Value
Name	Sales team permissions
Description	
Can be granted to roles	True
Last Modification	2/25/2009 4:59 PM
Id	b34367b2-6fcf-479f-a15e-526de15d26b9

### Granted Permission Sets

Name	Description
Sales manager permissions	

### Granted permissions

Name	Description
\Common\Display only information on a country(string Country=USA)	Allows to display only information on a country (employees, sales orders, customers)
\Samples\Allow to call restricted method	

### Roles

Name	Description
Sales representative	

### 1.1.2.1.2.8. UK HR permissions

Property	Value
Name	UK HR permissions
Description	
Can be granted to roles	True
Last Modification	6/4/2009 9:50 AM
Id	08647f68-ab0c-4ea9-9d43-bc43089f3dba

### Granted Permission Sets

Name	Description
HR permissions	

### Granted permissions

Name	Description
\Common\Display only information on a country(string Country=UK)	Allows to display only information on a country (employees, sales orders, customers)

### Roles

Name	Description
UK HR Employee	

### 1.1.2.1.2.9. UK Sales manager permissions

Property	Value
Name	UK Sales manager permissions
Description	
Can be granted to roles	True
Last Modification	2/18/2009 10:00 PM
Id	df9560dd-847a-4211-a18d-6bfbbbcaafac

### Granted Permission Sets

Name	Description
Sales manager permissions	

### Granted permissions

Name	Description
\Common\Display only information on a country(string Country=UK)	Allows to display only information on a country (employees, sales orders, customers)

### Roles

Name	Description
UK Sales manager	

### 1.1.2.1.2.10. UK Sales team permissions

Property	Value
Name	UK Sales team permissions
Description	
Can be granted to roles	True
Last Modification	2/25/2009 4:59 PM
Id	c4bd4d41-d465-4ec4-8297-ed48c5462623

### Granted Permission Sets

Name	Description
Sales team permissions	

### Granted permissions

Name	Description
\Common\Display only information on a country(string Country=UK)	Allows to display only information on a country (employees, sales orders, customers)

### Roles

Name	Description
UK Sales representative	

### 1.1.2.1.3. Details of permissions

#### 1.1.2.1.3.1. Common

Property	Value
Description	
Last Modification	2/18/2009 10:00 PM
Id	8abbe7c3-ef57-4704-9122-8249b4b526bf

#### 1.1.2.1.3.1.1. Details of permissions

##### 1.1.2.1.3.1.1.1. Display only information on a country(string Country=USA)

Property	Value
Name	Display only information on a country
Description	Allows to display only information on a country (employees, sales orders, customers)
Full Name	\Common\Display only information on a country
Country	USA
Last Modification	2/18/2009 10:00 PM
Id	a7b58856-6a54-4106-9a64-b8274176cf5a
Repository Id	a7b58856-6a54-4106-9a64-b8274176cf5a

#### Assigned to

Name	Description
Sales team permissions	
UK HR permissions	
UK Sales manager permissions	
UK Sales team permissions	

#### 1.1.2.1.3.1.1.1.1. Details of security actions

##### 1.1.2.1.3.1.1.1.1.1.

##### **DataConnection.SetProperties(CustomersDataView.RowFilter=<Count r...)**

Property	Value
Name	DataConnection.SetProperties(CustomersDataView.RowFilter=<Countr...)
Target	DataConnection
Event	(Default) After loading the security
Condition	
Id	5d27f83b-0359-4036-bf70-3d72bac2a34b

#### Description

CustomersDataView.RowFilter=<Country = '{Country}'>

EmployeesDataView.RowFilter=<Country = '{Country}'>

OrdersDataView.RowFilter=<ShipCountry = '{Country}'>

##### 1.1.2.1.3.1.1.1.1.2.

##### **SalesOrdersListBO.SetProperties(this.RowFilter=<ShipCountry = '{...)**

Property	Value
Name	SalesOrdersListBO.SetProperties(this.RowFilter=<ShipCountry = '{...}
Target	Novalys.VisualGuard.NorthwindSample.Common.Data.SalesOrdersListBO
Event	(Default) After loading the security
Condition	
Id	6e39c384-232d-417b-a487-376a1eea1ac6

## Description

this.RowFilter=<ShipCountry = '{Country}'>

1.1.2.1.3.1.1.1.1.3.

**WebServiceDataSource.SetProperties(\_salesOrderList.RowFilter=<string.Format('ShipCountry = "{0}"', #Permission['Countr...)**

Property	Value
Name	WebServiceDataSource.SetProperties(_salesOrderList.RowFilter=<string.Format('ShipCountry = "{0}"', #Permission['Countr...)
Target	WebServiceDataSource
Event	(Default) After loading the security
Condition	
Id	99e50f82-bd60-425d-8d35-8cd72d0659fa

## Description

\_salesOrderList.RowFilter=<string.Format('ShipCountry = "{0}"', #Permission['Country'])>



### 1.1.2.1.3.2. Customers

Property	Value
Description	
Last Modification	2/18/2009 10:00 PM
Id	db82f88a-f5ee-4745-968a-f354c6f6332c

#### 1.1.2.1.3.2.1. Details of permissions

##### 1.1.2.1.3.2.1.1. Disallow to administrate customers

Property	Value
Name	Disallow to administrate customers
Description	
Full Name	\Customers\Disallow to administrate customers
Last Modification	2/18/2009 10:00 PM
Id	6a1c39ff-ee77-4a18-aa7a-34c3bad6217d
Repository Id	6a1c39ff-ee77-4a18-aa7a-34c3bad6217d

#### Assigned to

Name	Description
Anonymous permissions	
Guest permissions	

#### 1.1.2.1.3.2.1.1.1. Details of security actions

##### 1.1.2.1.3.2.1.1.1.1.1.

##### \_Default.SetProperties(customerListLinkButton.Enabled=False,cust...)

Property	Value
Name	_Default.SetProperties(customerListLinkButton.Enabled=False,cust...)
Target	_Default
Event	(Default) After loading the security
Condition	
Id	9ddd3983-3c4e-4d5d-8132-6b8009ae7c22

#### Description

customerListLinkButton.Enabled=False

customerListLinkButton.Text=<{CurrentValue} (not available for {RoleNames})>

## 1.1.2.1.3.2.1.2. Disallow to edit and delete customers

Property	Value
Name	Disallow to edit and delete customers
Description	
Full Name	\Customers\Disallow to edit and delete customers
Last Modification	2/18/2009 10:00 PM
Id	562c59f9-a014-4a58-a42e-99373ec935d1
Repository Id	562c59f9-a014-4a58-a42e-99373ec935d1

### Assigned to

Name	Description
HR permissions	

## 1.1.2.1.3.2.1.2.1. Details of security actions

1.1.2.1.3.2.1.2.1.1.

### **CustomersList.SetProperties(addButton.Enabled=False,CustomersData...**

Property	Value
Name	CustomersList.SetProperties(addButton.Enabled=False,CustomersData...
Target	CustomersList
Event	(Default) After loading the security
Condition	
Id	3bb2178b-79a3-4698-af5e-9556afea7e6e

### Description

addButton.Enabled=False

CustomersDataList.AutoGenerateDeleteButton=False

CustomersDataList.AutoGenerateEditButton=False



### 1.1.2.1.3.3. Employees

Property	Value
Description	
Last Modification	2/18/2009 10:00 PM
Id	69b0c8ed-7f94-4d14-92ef-3d6fca243af2

#### 1.1.2.1.3.3.1. Details of permissions

##### 1.1.2.1.3.3.1.1. disable modifications

Property	Value
Name	disable modifications
Description	
Full Name	\Employees\disable modifications
Last Modification	2/25/2009 5:36 PM
Id	1bdb2995-0fa5-4b98-ae84-e0385cb0e219
Repository Id	1bdb2995-0fa5-4b98-ae84-e0385cb0e219

#### Assigned to

No items

#### 1.1.2.1.3.3.1.1.1. Details of security actions

1.1.2.1.3.3.1.1.1.1.

#### **EmployeesList.SetProperties(addButton.Visible=False,EmployeesDataList.AutoGenerateDeleteButton=False)**

Property	Value
Name	EmployeesList.SetProperties(addButton.Visible=False,EmployeesDataList.AutoGenerateDeleteButton=False)
Target	EmployeesList
Event	(Default) After loading the security
Condition	
Id	c49e3214-d174-4e50-b4ca-ecac675723a1

#### Description

addButton.Visible=False

EmployeesDataList.AutoGenerateDeleteButton=False

### 1.1.2.1.3.3.1.2. Disallow to administrate employees

Property	Value
Name	Disallow to administrate employees
Description	
Full Name	\Employees\Disallow to administrate employees
Last Modification	2/18/2009 10:00 PM
Id	cfc7ed58-5192-41fd-9c05-8a4432d67f50
Repository Id	cfc7ed58-5192-41fd-9c05-8a4432d67f50

### Assigned to

Name	Description
Anonymous permissions	

### 1.1.2.1.3.3.1.2.1. Details of security actions

1.1.2.1.3.3.1.2.1.1.

**\_Default.SetProperties(employeeListLinkButton.Enabled=False,empl..  
.)**

Property	Value
Name	_Default.SetProperties(employeeListLinkButton.Enabled=False,empl...)
Target	_Default
Event	(Default) After loading the security
Condition	
Id	51f20411-f4d4-4712-a863-bb70d3ecc852

### Description

employeeListLinkButton.Enabled=False

employeeListLinkButton.Text=<{CurrentValue} (Only for registered members)>

### 1.1.2.1.3.3.1.3. Disallow to edit and delete employee

Property	Value
Name	Disallow to edit and delete employee
Description	
Full Name	\Employees\Disallow to edit and delete employee
Last Modification	2/18/2009 10:00 PM
Id	e40b426a-9e78-4cb6-9f0d-ab047420f542
Repository Id	e40b426a-9e78-4cb6-9f0d-ab047420f542

### Assigned to

Name	Description
Guest permissions	
Sales manager permissions	

### 1.1.2.1.3.3.1.3.1. Details of security actions

1.1.2.1.3.3.1.3.1.1.

### **EmployeesList.SetProperties(addButton.Enabled=False,EmployeesDataList.AutoGenerateDeleteButton=False,EmployeesDataList.AutoGenerateEditButton=False)**

Property	Value
Name	EmployeesList.SetProperties(addButton.Enabled=False,EmployeesDataList.AutoGenerateDeleteButton=False,EmployeesDataList.AutoGenerateEditButton=False)
Target	EmployeesList
Event	(Default) After loading the security
Condition	
Id	5db8b1dd-bcea-4aec-8131-143538560f02

### Description

addButton.Enabled=False

EmployeesDataList.AutoGenerateDeleteButton=False

EmployeesDataList.AutoGenerateEditButton=False

### 1.1.2.1.3.3.1.4. **Disallow to edit employees of other countries(string Country=<Enter a country (USA, UK...)>)**

Property	Value
Name	Disallow to edit employees of other countries
Description	Disallows to edit all employees of countries different from the country specified in the argument 'Country'
Full Name	\Employees\Disallow to edit employees of other countries
Country	<Enter a country (USA, UK...)>
Last Modification	2/18/2009 10:00 PM
Id	881b2cac-3863-4373-812a-b92978cce466
Repository Id	881b2cac-3863-4373-812a-b92978cce466

### **Assigned to**

No items



### 1.1.2.1.3.4. Product

Property	Value
Description	
Last Modification	2/18/2009 10:00 PM
Id	d7e36bce-9740-4548-b42f-873937974e8e

#### 1.1.2.1.3.4.1. Details of permissions

##### 1.1.2.1.3.4.1.1. Disallow to administrate categories

Property	Value
Name	Disallow to administrate categories
Description	
Full Name	\Product\Disallow to administrate categories
Last Modification	2/18/2009 10:00 PM
Id	351b55bc-b15b-4fa4-aa89-4e421ca3114d
Repository Id	351b55bc-b15b-4fa4-aa89-4e421ca3114d

#### Assigned to

Name	Description
Anonymous permissions	
Guest permissions	
HR permissions	
Sales manager permissions	

#### 1.1.2.1.3.4.1.1.1. Details of security actions

##### 1.1.2.1.3.4.1.1.1.1.

##### \_Default.SetProperties(categoriesLinkButton.Enabled=False,catego...)

Property	Value
Name	_Default.SetProperties(categoriesLinkButton.Enabled=False,catego...)
Target	_Default
Event	(Default) After loading the security
Condition	
Id	b2ebd62e-cb4f-482c-8c90-0bb5f832bc41

#### Description

categoriesLinkButton.Enabled=False

categoriesLinkButton.Text=<{CurrentValue} (Only for administrator)>



### 1.1.2.1.3.5. Sales Orders

Property	Value
Description	
Last Modification	2/18/2009 10:00 PM
Id	af8e2c26-b863-462d-8e68-dd60a0bd8b81

#### 1.1.2.1.3.5.1. Details of permissions

##### 1.1.2.1.3.5.1.1. Disallow to administrate sales order

Property	Value
Name	Disallow to administrate sales order
Description	
Full Name	\Sales Orders\Disallow to administrate sales order
Last Modification	2/18/2009 10:00 PM
Id	6a1a4882-03cd-4a75-a0ae-51389efb7c9e
Repository Id	6a1a4882-03cd-4a75-a0ae-51389efb7c9e

#### Assigned to

Name	Description
Anonymous permissions	
Guest permissions	

#### 1.1.2.1.3.5.1.1.1. Details of security actions

##### 1.1.2.1.3.5.1.1.1.1.

##### \_Default.SetProperties(salesOrderLinkButton.Text=<{CurrentValue}...)

Property	Value
Name	_Default.SetProperties(salesOrderLinkButton.Text=<{CurrentValue}...)
Target	_Default
Event	(Default) After loading the security
Condition	@IsPostBack == false
Id	1be50633-d817-4a52-a1ba-79ad5b1d44a3

#### Description

When {IsPostBack == false}

Execute

```
{
salesOrderLinkButton.Text=<{CurrentValue} (not available for {RoleNames})>
salesOrderLinkButton.Enabled=False
}
```

## 1.1.2.1.3.5.1.2. Disallow to edit and delete sales orders

Property	Value
Name	Disallow to edit and delete sales orders
Description	
Full Name	\Sales Orders\Disallow to edit and delete sales orders
Last Modification	2/18/2009 10:00 PM
Id	a6f484fe-f65e-48a0-8e6e-83b9a0e35bd9
Repository Id	a6f484fe-f65e-48a0-8e6e-83b9a0e35bd9

### Assigned to

Name	Description
HR permissions	

## 1.1.2.1.3.5.1.2.1. Details of security actions

1.1.2.1.3.5.1.2.1.1.

### **SalesOrdersListBO.SetProperties(this.AllowToCreateNewOrder=False ...)**

Property	Value
Name	SalesOrdersListBO.SetProperties(this.AllowToCreateNewOrder=False...)
Target	Novalys.VisualGuard.NorthwindSample.Common.Data.SalesOrdersListBO
Event	(Default) After loading the security
Condition	
Id	b777bcba-4746-4d84-b72f-470628eff28f

### Description

this.AllowToCreateNewOrder=False

this.AllowToDeleteOrders=False

this.AllowToEditOrders=False

1.1.2.1.3.5.1.2.1.2.

### **WebServiceDataSource.SetProperties(\_salesOrderList.AllowDelete=False, \_salesOrderList.AllowEdit=False, \_salesOrderList.All...)**

Property	Value
Name	WebServiceDataSource.SetProperties(_salesOrderList.AllowDelete=False, _salesOrderList.AllowEdit=False, _salesOrderList.All...)
Target	WebServiceDataSource
Event	(Default) After loading the security
Condition	
Id	2bcc6965-3080-4626-8c94-8ae459c6c5a5

### Description

\_salesOrderList.AllowDelete=False

\_salesOrderList.AllowEdit=False

\_salesOrderList.AllowNew=False





### 1.1.2.1.3.6. Samples

Property	Value
Description	
Last Modification	2/18/2009 10:00 PM
Id	96a33864-7add-4aee-aaae-6615a954a84b

#### 1.1.2.1.3.6.1. Details of permissions

##### 1.1.2.1.3.6.1.1. Allow to call restricted method

Property	Value
Name	Allow to call restricted method
Description	
Full Name	\Samples\Allow to call restricted method
Last Modification	2/18/2009 10:00 PM
Id	5220abd5-b12f-44d3-9341-2a8a0d63534d
Repository Id	5220abd5-b12f-44d3-9341-2a8a0d63534d

#### Assigned to

Name	Description
Sales team permissions	

## 1.1.2.1.3.6.1.2. Permission with argument(string My Argument=Default value)

Property	Value
Name	Permission with argument
Description	
Full Name	\Samples\Permission with argument
My Argument	Default value
Last Modification	2/18/2009 10:00 PM
Id	c6ccf210-cc0a-42d5-a3f3-041a33a11906
Repository Id	c6ccf210-cc0a-42d5-a3f3-041a33a11906

### Assigned to

Name	Description
Sales manager permissions	

### 1.1.2.1.3.6.1.3. Script action sample

Property	Value
Name	Script action sample
Description	
Full Name	\Samples\Script action sample
Last Modification	2/18/2009 10:00 PM
Id	518a6a56-569f-4416-a345-a30afe3654e8
Repository Id	518a6a56-569f-4416-a345-a30afe3654e8

### Assigned to

Name	Description
Common permissions	

### 1.1.2.1.3.6.1.3.1. Details of security actions

1.1.2.1.3.6.1.3.1.1.

### Sample.ExecuteScript(Ca37019f2ee1349d0a3134325e95de0df)

Property	Value
Name	Sample.ExecuteScript(Ca37019f2ee1349d0a3134325e95de0df)
Target	Sample
Event	PreRender
Condition	
Id	fe8ee341-7eec-4b2d-ac9e-3a3b3a635f38

### Description

On Event {Sample.PreRender}

Execute

```
{
namespace Novalys.VisualGuard.DynamicScript
{
    using System.Web.UI;
    using System;
    using System.Collections;
    using Novalys.VisualGuard.Security;
    using Novalys.VisualGuard.Security.Action;

    public class Ca37019f2ee1349d0a3134325e95de0df : Novalys.VisualGuard.Security.Action.VGDynamicScript
    {
        public override void Execute(object target, Novalys.VisualGuard.Security.VGIPermission permission, object[]
eventArgs)
        {
            DebugBreak();
            Page page = (Page)target;
            page.Title += "(" + VGSecurityManager.Principal.Identity.Name + ")";
        }
    }
}
```

}



### 1.1.2.1.3.7. Users

Property	Value
Description	
Last Modification	2/18/2009 10:00 PM
Id	b75086cd-9184-47e4-9e66-22d0d084c349

#### 1.1.2.1.3.7.1. Details of permissions

##### 1.1.2.1.3.7.1.1. Disallow to administrate users

Property	Value
Name	Disallow to administrate users
Description	
Full Name	\Users\Disallow to administrate users
Last Modification	2/18/2009 10:00 PM
Id	10c81ca7-7cdc-4a9b-9b75-60637a22a529
Repository Id	10c81ca7-7cdc-4a9b-9b75-60637a22a529

#### Assigned to

Name	Description
Anonymous permissions	
Guest permissions	
HR permissions	
Sales manager permissions	

#### 1.1.2.1.3.7.1.1.1. Details of security actions

##### 1.1.2.1.3.7.1.1.1.1.

**\_Default.SetProperties(usersLinkButton.Enabled=False,usersLinkBu...)**

Property	Value
Name	_Default.SetProperties(usersLinkButton.Enabled=False,usersLinkBu...)
Target	_Default
Event	(Default) After loading the security
Condition	
Id	a5074527-b904-4947-96d6-7ade837ded80

#### Description

usersLinkButton.Enabled=False

usersLinkButton.Text=<{CurrentValue} (Only for administrator)>





## 1.1.2.2. WebService Sample

Property	Value
Name	WebService Sample
Assembly Path	C:\Program Files\Novalys\Visual Guard 2.8 For .Net\Sample\Sample.CSharpWebService.exe
Other Assemblies	
Application Type	WinForm
Version	1.0.0.0
Anonymous Role	Anonymous
Default Role	Default
Membership Access Level	Unrestricted
Last Modification	2/18/2009 10:00 PM
Id	ea477030-5a0c-46da-81c1-89235941eb9b

### List of roles

Name	Description
Anonymous	
Default	
Membership Manager	Can use the Membership API to create, modify, delete and grant roles to users from the application.

### List of permission sets

Name	Description
Administrator	
Anonymous permissions	
HR permissions	
Sales representative	

### List of permissions

Name	Description
Allow Sales Order list	
Disable sales orders edition	
Filter on sales orders by Employee	

#### 1.1.2.2.1. Details of roles

##### 1.1.2.2.1.1. Anonymous

Property	Value
Permission Set	(None)
Last Modification	2/18/2009 10:00 PM
Id	79a44bd1-4966-4f08-b9b0-0a78ecdee7c9
Repository Id	79a44bd1-4966-4f08-b9b0-0a78ecdee7c9

### Granted Users

No items

### 1.1.2.2.1.2. Default

Property	Value
Permission Set	(None)
Last Modification	2/18/2009 10:00 PM
Id	36fbb0d6-e457-4dc7-bf34-d9f57553ded5
Repository Id	36fbb0d6-e457-4dc7-bf34-d9f57553ded5

### Granted Users

Name	Description
Guest	
New.user	
NOVALYS\chris.dufourmantelle	
Unknown Windows account(Name=NOVALYS\Administrateur;SID=S-1-5-21-4262505130-1600361440-3600298171-500)	
Unknown Windows account(Name=NOVALYS\alexandra.delgado;SID=S-1-5-21-4262505130-1600361440-3600298171-1133)	
Unknown Windows account(Name=NOVALYS\karine.feate;SID=S-1-5-21-4262505130-1600361440-3600298171-1214)	
Unknown Windows account(Name=NOVALYS\megan.mcguire;SID=S-1-5-21-4262505130-1600361440-3600298171-1209)	

### 1.1.2.2.1.3. Membership Manager

Property	Value
Permission Set	(None)
Last Modification	1/1/0001 1:00 AM
Id	3b6df120-abf3-4238-bf24-d5d5a423204f
Repository Id	3b6df120-abf3-4238-bf24-d5d5a423204f

### Granted Users

No items

## 1.1.2.2.2. Details of permission sets

### 1.1.2.2.2.1. Administrator

Property	Value
Name	Administrator
Description	
Can be granted to roles	True
Last Modification	2/18/2009 10:00 PM
Id	2ef5fc59-3e11-4340-86f5-938df90b4272

### Granted Permission Sets

No items

### Granted permissions

Name	Description
Allow Sales Order list	

### Roles

Name	Description
Administrator	

## 1.1.2.2.2.2. Anonymous permissions

Property	Value
Name	Anonymous permissions
Description	
Can be granted to roles	True
Last Modification	2/18/2009 10:00 PM
Id	669b4a17-80bc-43a5-a183-bc87b32e88f2

## Granted Permission Sets

No items

## Granted permissions

Name	Description
Disable sales orders edition	
Filter on sales orders by Employee	

## Roles

Name	Description
Guest	

### 1.1.2.2.2.3. HR permissions

Property	Value
Name	HR permissions
Description	
Can be granted to roles	True
Last Modification	2/18/2009 10:00 PM
Id	f03da2db-5e61-41ad-99ad-aed937ebdf5b

### Granted Permission Sets

No items

### Granted permissions

Name	Description
Allow Sales Order list	
Disable sales orders edition	
Filter on sales orders by Employee	

### Roles

Name	Description
HR Employee	
UK HR Employee	

#### 1.1.2.2.2.4. Sales representative

Property	Value
Name	Sales representative
Description	
Can be granted to roles	True
Last Modification	2/18/2009 10:00 PM
Id	4184f50d-ed41-4f5c-b489-3f65a7b07e60

### Granted Permission Sets

No items

### Granted permissions

Name	Description
Allow Sales Order list	
Filter on sales orders by Employee	

### Roles

Name	Description
Sales representative	

### 1.1.2.2.3. Details of permissions

#### 1.1.2.2.3.1. Allow Sales Order list

Property	Value
Name	Allow Sales Order list
Description	
Full Name	Allow Sales Order list
Last Modification	2/18/2009 10:00 PM
Id	fd8ed7b6-6e32-4322-ae33-01053daf30f1
Repository Id	fd8ed7b6-6e32-4322-ae33-01053daf30f1

#### Assigned to

Name	Description
Administrator	
HR permissions	
Sales representative	

### 1.1.2.2.3.2. Disable sales orders edition

Property	Value
Name	Disable sales orders edition
Description	
Full Name	Disable sales orders edition
Last Modification	2/18/2009 10:00 PM
Id	e51dc822-76e9-44b9-a427-d55620deb5a7
Repository Id	e51dc822-76e9-44b9-a427-d55620deb5a7

### Assigned to

Name	Description
Anonymous permissions	
HR permissions	

### 1.1.2.2.3.2.1. Details of security actions

#### 1.1.2.2.3.2.1.1.

### MyWebService.SetProperties(this.CanDeleteOrderSecurity=<#Principal.IsInRole('Sales manager')>,this.canCreateNewOrderSecu...)

Property	Value
Name	MyWebService.SetProperties(this.CanDeleteOrderSecurity=<#Principal.IsInRole('Sales manager')>,this.canCreateNewOrderSecu...)
Target	Sample.CSharpWebService.MyWebService
Event	(Default) After loading the security
Condition	
Id	3c3a93b1-8374-47ab-ba83-f270cdf9179b

### Description

this.CanDeleteOrderSecurity=<#Principal.IsInRole('Sales manager')>

this.canCreateNewOrderSecurity=False

### 1.1.2.2.3.3. Filter on sales orders by Employee

Property	Value
Name	Filter on sales orders by Employee
Description	
Full Name	Filter on sales orders by Employee
Last Modification	2/18/2009 10:00 PM
Id	6d094287-3b7d-44fb-a3db-9892811d87f1
Repository Id	6d094287-3b7d-44fb-a3db-9892811d87f1

### Assigned to

Name	Description
Anonymous permissions	
HR permissions	
Sales representative	

### 1.1.2.2.3.3.1. Details of security actions

#### 1.1.2.2.3.3.1.1.

### **MyWebService.SetProperties(dataView.RowFilter=<#Principal.IsInRo.. )**

Property	Value
Name	MyWebService.SetProperties(dataView.RowFilter=<#Principal.IsInRo...)
Target	Sample.CSharpWebService.MyWebService
Event	(Default) After loading the security
Condition	
Id	e23dd88b-a588-461e-9583-4e21bedaffe7

### Description

dataView.RowFilter=<#Principal.IsInRole('Sales manager') ? '' : 'EmployeeID="' +EmployeeID+"'>



### 1.1.2.3. WinForm Sample

Property	Value
Name	WinForm Sample
Assembly Path	C:\Program Files\Novalys\Visual Guard 2.8 For .Net\Sample\NorthwindSample.WinForm.exe
Other Assemblies	
Application Type	WinForm
Version	1.0.0.0
Anonymous Role	Anonymous
Default Role	<Do not allow default role>
Membership Access Level	Unrestricted
Last Modification	2/18/2009 10:00 PM
Id	6cbad817-8f3d-4bf6-8e1d-3d8533942bf8

### List of roles

Name	Description
Anonymous	Allows user to execute the application as anonymous user
Membership Manager	Can use the Membership API to create, modify, delete and grant roles to users from the application.

### List of permission sets

Name	Description
Anonymous permissions	Permissions granted to anonymous users
Common permissions	Common permissions granted to all users. This permission set cannot be directly granted to role. It must be only used as sub permission sets
FullTrust permissions	Permissions granted to the administrator of the application
HR permissions	Permissions granted to HR employees
Non administrator permissions	Common permissions granted to non administrator
Sales manager permissions	Permissions granted to sales manager
Sales team permissions	Permissions granted to sales representatives
UK HR Permissions	Permissions granted to HR employees of the UK
UK Sales manager permissions	Permissions granted to UK Sales managers
UK Sales team permissions	Permissions granted to UK Sales representatives

### List of permissions

Name	Description
\Customers\Disable customers edition	Disable the edition and the creation of a customer
\Employees\Disable employees edition	
\Users\Disable Membership edition	Disable the creation or edition of the users of the application
\Products\Disable products and categories edition	
\Sales Orders\Disable sales orders edition	Disable the edition and the creation of a sales order
\Common\Disallow to change password	
\Employees\Disallow to edit employees of other countries	Disallows to edit all employees of countries different from the country specified in the argument 'Country'
\Common\Display only information on a country	Allows to display only information on a country (employees, sales orders, customers)
\Samples\Permission with argument	This permission is a sample of permission with argument. You can check if the permission is granted to the user by using the menu "Help/Retrieve information form permission" in the Winform Sample application
\Samples\Permission with invalid actions	This permission contains an invalid action. This error has been added for demo purpose.
\Samples\Script Action Sample	This permission execute a dynamic script action. You can test this permission bu clicking on the menu "Help/Sample of permission with script"

## 1.1.2.3.1. Details of roles

### 1.1.2.3.1.1. Anonymous

Property	Value
Permission Set	[Anonymous permissions]
Last Modification	2/18/2009 10:00 PM
Id	0bf26a69-3f3c-43fe-9a85-356f9a141d4e
Repository Id	0bf26a69-3f3c-43fe-9a85-356f9a141d4e

### Granted Users

No items

## 1.1.2.3.1.2. Membership Manager

Property	Value
Permission Set	(None)
Last Modification	1/1/0001 1:00 AM
Id	3b6df120-abf3-4238-bf24-d5d5a423204f
Repository Id	3b6df120-abf3-4238-bf24-d5d5a423204f

### Granted Users

No items

## 1.1.2.3.2. Details of permission sets

### 1.1.2.3.2.1. Anonymous permissions

Property	Value
Name	Anonymous permissions
Description	Permissions granted to anonymous users
Can be granted to roles	True
Last Modification	2/18/2009 10:00 PM
Id	12308a32-7ac5-4d58-be82-91a27b1949b1

### Granted Permission Sets

Name	Description
Non administrator permissions	Common permissions granted to non administrator

### Granted permissions

Name	Description
\Common\Disallow to change password	
\Customers\Disable customers edition	Disable the edition and the creation of a customer
\Employees\Disable employees edition	
\Products\Disable products and categories edition	
\Sales Orders\Disable sales orders edition	Disable the edition and the creation of a sales order

### Roles

Name	Description
Anonymous	Allows user to execute the application as anonymous user
Guest	

### 1.1.2.3.2.2. Common permissions

Property	Value
Name	Common permissions
Description	Common permissions granted to all users. This permission set cannot be directly granted to role. It must be only used as sub permission sets
Can be granted to roles	False
Last Modification	2/18/2009 10:00 PM
Id	93becae5-c557-4aa8-863e-45819d3a15d3

### Granted Permission Sets

No items

### Granted permissions

Name	Description
\Samples\Permission with argument(string MyValue=My default value)	This permission is a sample of permission with argument. You can check if the permission is granted to the user by using the menu "Help/Retrieve information form permission" in the Winform Sample application
\Samples\Script Action Sample(string Attribute1="My Value for attribute1",DateTime Attribute2=12/31/2006)	This permission execute a dynamic script action. You can test this permission bu clicking on the menu "Help/Sample of permission with script"

### Roles

No items

### 1.1.2.3.2.3. FullTrust permissions

Property	Value
Name	FullTrust permissions
Description	Permissions granted to the administrator of the application
Can be granted to roles	True
Last Modification	2/18/2009 10:00 PM
Id	9014e3dd-7782-4b7f-bd5a-22f25dbc415b

### Granted Permission Sets

Name	Description
Common permissions	Common permissions granted to all users. This permission set cannot be directly granted to role. It must be only used as sub permission sets

### Granted permissions

Name	Description
\Samples\Permission with argument(string MyValue=My default value)	This permission is a sample of permission with argument. You can check if the permission is granted to the user by using the menu "Help/Retrieve information form permission" in the Winform Sample application

### Roles

Name	Description
Administrator	

### 1.1.2.3.2.4. HR permissions

Property	Value
Name	HR permissions
Description	Permissions granted to HR employees
Can be granted to roles	True
Last Modification	2/18/2009 10:00 PM
Id	8d7f0860-4d7a-4ccb-b915-1563957bedf2

### Granted Permission Sets

Name	Description
Non administrator permissions	Common permissions granted to non administrator

### Granted permissions

Name	Description
\Customers\Disable customers edition	Disable the edition and the creation of a customer
\Products\Disable products and categories edition	
\Sales Orders\Disable sales orders edition	Disable the edition and the creation of a sales order

### Roles

Name	Description
HR Employee	

### 1.1.2.3.2.5. Non administrator permissions

Property	Value
Name	Non administrator permissions
Description	Common permissions granted to non administrator
Can be granted to roles	False
Last Modification	2/18/2009 10:00 PM
Id	7d06f769-914f-4026-a7ae-0d11c34e4b00

### Granted Permission Sets

Name	Description
Common permissions	Common permissions granted to all users. This permission set cannot be directly granted to role. It must be only used as sub permission sets

### Granted permissions

Name	Description
\Users\Disable Membership edition	Disable the creation or edition of the users of the application

### Roles

No items

### 1.1.2.3.2.6. Sales manager permissions

Property	Value
Name	Sales manager permissions
Description	Permissions granted to sales manager
Can be granted to roles	True
Last Modification	2/18/2009 10:00 PM
Id	f574fac4-3164-49f4-bbba-99c0f464ddb1

### Granted Permission Sets

Name	Description
Non administrator permissions	Common permissions granted to non administrator

### Granted permissions

Name	Description
\Employees\Disallow to edit employees of other countries(string Country=USA)	Disallows to edit all employees of countries different from the country specified in the argument 'Country'
\Products\Disable products and categories edition	

### Roles

Name	Description
Sales manager	

### 1.1.2.3.2.7. Sales team permissions

Property	Value
Name	Sales team permissions
Description	Permissions granted to sales representatives
Can be granted to roles	True
Last Modification	2/18/2009 10:00 PM
Id	e84dcc2a-7d41-4aa3-b89c-972329a9dd2d

### Granted Permission Sets

Name	Description
Sales manager permissions	Permissions granted to sales manager

### Granted permissions

No items

### Roles

Name	Description
Sales representative	

## 1.1.2.3.2.8. UK HR Permissions

Property	Value
Name	UK HR Permissions
Description	Permissions granted to HR employees of the UK
Can be granted to roles	True
Last Modification	6/4/2009 9:49 AM
Id	2fce77fe-27ad-4690-8ba3-492670e5c932

### Granted Permission Sets

Name	Description
HR permissions	Permissions granted to HR employees

### Granted permissions

Name	Description
\Common\Display only information on a country(string Country=UK)	Allows to display only information on a country (employees, sales orders, customers)

### Roles

Name	Description
UK HR Employee	

### 1.1.2.3.2.9. UK Sales manager permissions

Property	Value
Name	UK Sales manager permissions
Description	Permissions granted to UK Sales managers
Can be granted to roles	True
Last Modification	2/18/2009 10:00 PM
Id	0ba6a5a7-8609-49b8-a8fc-6ec4dc4ef9ac

### Granted Permission Sets

Name	Description
Sales manager permissions	Permissions granted to sales manager

### Granted permissions

Name	Description
\Common\Display only information on a country(string Country=UK)	Allows to display only information on a country (employees, sales orders, customers)

### Roles

Name	Description
UK Sales manager	

## 1.1.2.3.2.10. UK Sales team permissions

Property	Value
Name	UK Sales team permissions
Description	Permissions granted to UK Sales representatives
Can be granted to roles	True
Last Modification	2/18/2009 10:00 PM
Id	05f5cc5e-84ef-4282-95f3-74a0f87801b9

### Granted Permission Sets

Name	Description
Sales team permissions	Permissions granted to sales representatives

### Granted permissions

Name	Description
\Common\Display only information on a country(string Country=UK)	Allows to display only information on a country (employees, sales orders, customers)

### Roles

Name	Description
UK Sales representative	

### 1.1.2.3.3. Details of permissions

#### 1.1.2.3.3.1. Common

Property	Value
Description	
Last Modification	2/18/2009 10:00 PM
Id	187642ba-9077-47c7-b349-5f5f4ced2714

#### 1.1.2.3.3.1.1. Details of permissions

##### 1.1.2.3.3.1.1.1. Disallow to change password

Property	Value
Name	Disallow to change password
Description	
Full Name	\Common\Disallow to change password
Last Modification	2/18/2009 10:00 PM
Id	dcddb0e6-4e62-46d9-ae22-ba7b3d1f7371
Repository Id	dcddb0e6-4e62-46d9-ae22-ba7b3d1f7371

#### Assigned to

Name	Description
Anonymous permissions	Permissions granted to anonymous users

#### 1.1.2.3.3.1.1.1.1. Details of security actions

1.1.2.3.3.1.1.1.1.1.

##### **MDIForm.SetProperties(\_changePasswordMenuItem.Enabled=False,\_cha...)**

Property	Value
Name	MDIForm.SetProperties(_changePasswordMenuItem.Enabled=False,_cha...)
Target	Novalys.VisualGuard.NorthwindSample.MDIForm
Event	(Default) After loading the security
Condition	
Id	a91b1feb-a33f-4b64-abc2-828f1afa274c

#### Description

\_changePasswordMenuItem.Enabled=False

\_changePasswordStandardMenuItem.Enabled=False

### 1.1.2.3.3.1.1.2. Display only information on a country(string Country=USA)

Property	Value
Name	Display only information on a country
Description	Allows to display only information on a country (employees, sales orders, customers)
Full Name	\Common\Display only information on a country
Country	USA
Last Modification	2/18/2009 10:00 PM
Id	975d80d8-b23f-4226-8cc8-ce2965e59e8c
Repository Id	975d80d8-b23f-4226-8cc8-ce2965e59e8c

### Assigned to

Name	Description
UK HR Permissions	Permissions granted to HR employees of the UK
UK Sales manager permissions	Permissions granted to UK Sales managers
UK Sales team permissions	Permissions granted to UK Sales representatives

### 1.1.2.3.3.1.1.2.1. Details of security actions

#### 1.1.2.3.3.1.1.2.1.1.

### EmployeesList.SetProperties(\_dvEmployeeList.RowFilter=<Country =...)

Property	Value
Name	EmployeesList.SetProperties(_dvEmployeeList.RowFilter=<Country =...)
Target	Novalys.VisualGuard.NorthwindSample.EmployeesList
Event	(Default) After loading the security
Condition	
Id	bada5236-9ddb-4446-8d4b-8b4896257bd8

### Description

\_dvEmployeeList.RowFilter=<Country = '{Country}'>

#### 1.1.2.3.3.1.1.2.1.2.

### SalesOrdersClass.SetProperties(this.RowFilter=<ShipCountry = '{C...)

Property	Value
Name	SalesOrdersClass.SetProperties(this.RowFilter=<ShipCountry = '{C...)
Target	Novalys.VisualGuard.NorthwindSample.SalesOrdersClass
Event	(Default) After loading the security
Condition	
Id	3467d0f9-a25a-486d-8eba-47ccfd8193e7

### Description

this.RowFilter=<ShipCountry = '{Country}'>

#### 1.1.2.3.3.1.1.2.1.3.

### CustomersList.SetProperties(\_dvCustomerList.RowFilter=<Country =...)

Property	Value
Name	CustomersList.SetProperties(_dvCustomerList.RowFilter=<Country =...)
Target	Novalys.VisualGuard.NorthwindSample.CustomersList
Event	(Default) After loading the security
Condition	
Id	a747677d-d43c-44a3-abb3-6d46c447526d

## Description

\_dvCustomerList.RowFilter=<Country = '{Country}'>

1.1.2.3.3.1.1.2.1.4.

**SalesOrdersList.SetProperties(salesOrdersBindingSource.Filter=<string.Format('ShipCountry = "{0}"', #Permission['Count...)**

Property	Value
Name	SalesOrdersList.SetProperties(salesOrdersBindingSource.Filter=<string.Format('ShipCountry = "{0}"', #Permission['Count...)
Target	Novalys.VisualGuard.NorthwindSample.SalesOrdersList
Event	(Default) After loading the security
Condition	
Id	a3107266-ad30-4f6a-b85d-f08d8a16cc00

## Description

salesOrdersBindingSource.Filter=<string.Format('ShipCountry = "{0}"', #Permission['Country'])>



## 1.1.2.3.3.2. Customers

Property	Value
Description	
Last Modification	2/18/2009 10:00 PM
Id	824ee3ac-9fa0-45a5-97c5-ced1df01bdf

### 1.1.2.3.3.2.1. Details of permissions

#### 1.1.2.3.3.2.1.1. Disable customers edition

Property	Value
Name	Disable customers edition
Description	Disable the edition and the creation of a customer
Full Name	\Customers\Disable customers edition
Last Modification	2/18/2009 10:00 PM
Id	1adbf8dc-9f79-47c8-96ef-f5df7b8b019f
Repository Id	1adbf8dc-9f79-47c8-96ef-f5df7b8b019f

### Assigned to

Name	Description
Anonymous permissions	Permissions granted to anonymous users
HR permissions	Permissions granted to HR employees

### 1.1.2.3.3.2.1.1.1. Details of security actions

#### 1.1.2.3.3.2.1.1.1.1.

#### **CustomersList.SetProperties(\_cmdDelete.Enabled=False,\_cmdNew.E na...)**

Property	Value
Name	CustomersList.SetProperties(_cmdDelete.Enabled=False,_cmdNew.E na...)
Target	Novalys.VisualGuard.NorthwindSample.CustomersList
Event	(Default) After loading the security
Condition	
Id	43a2688e-6fdc-4f47-97df-13ab39107c6c

### Description

\_cmdDelete.Enabled=False

\_cmdNew.Enabled=False

\_dvCustomerList.AllowDelete=False

\_dvCustomerList.AllowEdit=False

\_dvCustomerList.AllowNew=False

#### 1.1.2.3.3.2.1.1.1.2.

#### **Customer.SetProperties(\_cmdDelete.Enabled=False,\_cmdSave.Enabl ed...)**

Property	Value
Name	Customer.SetProperties(_cmdDelete.Enabled=False,_cmdSave.Enabled...)
Target	Novalys.VisualGuard.NorthwindSample.Customer
Event	(Default) After loading the security
Condition	
Id	f5e3cf62-78a5-4369-bedf-6adf163bc724

## Description

\_cmdDelete.Enabled=False

\_cmdSave.Enabled=False

\_txtAddress.ReadOnly=True

\_txtCity.ReadOnly=True

\_txtCompanyName.ReadOnly=True

\_txtContactName.ReadOnly=True

\_txtContactTitle.ReadOnly=True

\_txtCountry.ReadOnly=True

\_txtCustomerID.ReadOnly=True

\_txtFax.ReadOnly=True

\_txtPhone.ReadOnly=True

\_txtPostalCode.ReadOnly=True

\_txtRegion.ReadOnly=True



### 1.1.2.3.3.3. Employees

Property	Value
Description	
Last Modification	2/18/2009 10:00 PM
Id	8052eb6c-fd66-4825-9da0-5ec5e6d38218

#### 1.1.2.3.3.3.1. Details of permissions

##### 1.1.2.3.3.3.1.1. Disable employees edition

Property	Value
Name	Disable employees edition
Description	
Full Name	\Employees\Disable employees edition
Last Modification	2/18/2009 10:00 PM
Id	8f95817d-ac24-4fd1-90d7-49a42eacd156
Repository Id	8f95817d-ac24-4fd1-90d7-49a42eacd156

#### Assigned to

Name	Description
Anonymous permissions	Permissions granted to anonymous users

#### 1.1.2.3.3.3.1.1.1. Details of security actions

##### 1.1.2.3.3.3.1.1.1.1.

#### **EmployeesList.SetProperties(\_cmdDelete.Enabled=False,\_cmdNew.E na...)**

Property	Value
Name	EmployeesList.SetProperties(_cmdDelete.Enabled=False,_cmdNew.E na...)
Target	Novalys.VisualGuard.NorthwindSample.EmployeesList
Event	(Default) After loading the security
Condition	
Id	fb6961b5-bcda-47c6-bff9-5c547976a8d6

#### Description

\_cmdDelete.Enabled=False

\_cmdNew.Enabled=False

dsNorthwindData.Customers.CaseSensitive=True

\_dvEmployeeList.AllowDelete=False

\_dvEmployeeList.AllowEdit=False

\_dvEmployeeList.AllowNew=False

##### 1.1.2.3.3.3.1.1.1.2.

#### **Employee.SetProperties(\_cmdDelete.Enabled=False,\_cmdSave.Enabl ed...)**

Property	Value
Name	Employee.SetProperties(_cmdDelete.Enabled=False,_cmdSave.Enabled...)
Target	Novalys.VisualGuard.NorthwindSample.Employee
Event	Load
Condition	
Id	856c3441-97a7-4a08-b085-8624a28e6704

## Description

On Event {Novalys.VisualGuard.NorthwindSample.Employee.Load}

Execute

```
{  
_cmdDelete.Enabled=False  
_cmdSave.Enabled=False  
_txtAddress.ReadOnly=True  
_txtBirthDate.ReadOnly=True  
_txtCity.ReadOnly=True  
_txtCountry.ReadOnly=True  
_txtEmployeeID.ReadOnly=True  
_txtExtension.ReadOnly=True  
_txtFirstName.ReadOnly=True  
_txtHireDate.ReadOnly=True  
_txtHomePhone.ReadOnly=True  
_txtLastName.ReadOnly=True  
_txtNotes.ReadOnly=True  
_txtPostalCode.ReadOnly=True  
_txtRegion.ReadOnly=True  
_txtReportsTo.ReadOnly=True  
_txtSalary.ReadOnly=True  
_txtTitle.ReadOnly=True  
_txtTitleOfCourtesy.ReadOnly=True  
}
```

## 1.1.2.3.3.3.1.2. Disallow to edit employees of other countries(string Country=<Enter a country (USA,UK)>)

Property	Value
Name	Disallow to edit employees of other countries
Description	Disallows to edit all employees of countries different from the country specified in the argument 'Country'
Full Name	\Employees\Disallow to edit employees of other countries
Country	<Enter a country (USA,UK)>
Last Modification	2/18/2009 10:00 PM
Id	265d95b0-2101-4d89-9eea-747908385bbb
Repository Id	265d95b0-2101-4d89-9eea-747908385bbb

### Assigned to

Name	Description
Sales manager permissions	Permissions granted to sales manager

## 1.1.2.3.3.3.1.2.1. Details of security actions

### 1.1.2.3.3.3.1.2.1.1.

## Employee.SetProperties(\_cmdDelete.Enabled=False,\_cmdSave.Enabled...)

Property	Value
Name	Employee.SetProperties(_cmdDelete.Enabled=False,_cmdSave.Enabled...)
Target	Novalys.VisualGuard.NorthwindSample.Employee
Event	EmployeeChanged
Condition	@#EventArgs.Employee.Country != #Permission['Country']
Id	a5ecbf4f-58b1-4d5a-ae5f-226c1fa19e67

### Description

On Event {Novalys.VisualGuard.NorthwindSample.Employee.EmployeeChanged}

When {#EventArgs.Employee.Country != #Permission['Country']}

Execute

```
{
_cmdDelete.Enabled=False
_cmdSave.Enabled=False
_txtAddress.ReadOnly=True
_txtBirthDate.ReadOnly=True
_txtCity.ReadOnly=True
_txtCountry.ReadOnly=True
_txtEmployeeID.ReadOnly=True
_txtExtension.ReadOnly=True
_txtFirstName.ReadOnly=True
_txtHireDate.ReadOnly=True
_txtHomePhone.ReadOnly=True
_txtLastName.ReadOnly=True
_txtNotes.ReadOnly=True
_txtPostalCode.ReadOnly=True
```

```
_txtRegion.ReadOnly=True  
_txtReportsTo.ReadOnly=True  
_txtSalary.ReadOnly=True  
_txtTitle.ReadOnly=True  
_txtTitleOfCourtesy.ReadOnly=True  
}
```



### 1.1.2.3.3.4. Products

Property	Value
Description	
Last Modification	2/18/2009 10:00 PM
Id	544582eb-1d36-4443-aea3-d2b79c5f051a

#### 1.1.2.3.3.4.1. Details of permissions

##### 1.1.2.3.3.4.1.1. Disable products and categories edition

Property	Value
Name	Disable products and categories edition
Description	
Full Name	\Products\Disable products and categories edition
Last Modification	2/18/2009 10:00 PM
Id	bb241aa9-24ce-4b5b-96d3-4bf16db4e174
Repository Id	bb241aa9-24ce-4b5b-96d3-4bf16db4e174

#### Assigned to

Name	Description
Anonymous permissions	Permissions granted to anonymous users
HR permissions	Permissions granted to HR employees
Sales manager permissions	Permissions granted to sales manager

#### 1.1.2.3.3.4.1.1.1. Details of security actions

##### 1.1.2.3.3.4.1.1.1.1.

#### **MDIForm.SetProperties(\_myCategories.Enabled=False,\_myProducts.En...)**

Property	Value
Name	MDIForm.SetProperties(_myCategories.Enabled=False,_myProducts.En...)
Target	Novalys.VisualGuard.NorthwindSample.MDIForm
Event	(Default) After loading the security
Condition	
Id	f6dd7f71-5fed-430c-81a5-f9b4008ec3de

#### Description

\_myCategories.Enabled=False

\_myProducts.Enabled=False



## 1.1.2.3.3.5. Sales Orders

Property	Value
Description	
Last Modification	2/18/2009 10:00 PM
Id	a9de786f-598e-4624-bddb-92503625ebcd

### 1.1.2.3.3.5.1. Details of permissions

#### 1.1.2.3.3.5.1.1. Disable sales orders edition

Property	Value
Name	Disable sales orders edition
Description	Disable the edition and the creation of a sales order
Full Name	\Sales Orders\Disable sales orders edition
Last Modification	2/18/2009 10:00 PM
Id	47c1232e-5f4b-4af8-97a4-d09286b9bde4
Repository Id	47c1232e-5f4b-4af8-97a4-d09286b9bde4

### Assigned to

Name	Description
Anonymous permissions	Permissions granted to anonymous users
HR permissions	Permissions granted to HR employees

### 1.1.2.3.3.5.1.1.1. Details of security actions

#### 1.1.2.3.3.5.1.1.1.1.

#### **SalesOrderClass.SetProperties(this.IsEditable=False,this.IsDelet...)**

Property	Value
Name	SalesOrderClass.SetProperties(this.IsEditable=False,this.IsDelet...)
Target	Novalys.VisualGuard.NorthwindSample.SalesOrderClass
Event	(Default) After loading the security
Condition	
Id	f7d05a4a-5a56-4460-946e-878c174d6aad

### Description

this.IsEditable=False

this.IsDeletable=False

#### 1.1.2.3.3.5.1.1.1.2.

#### **SalesOrdersClass.SetProperties(this.AllowToCreateNewOrder=False)**

Property	Value
Name	SalesOrdersClass.SetProperties(this.AllowToCreateNewOrder=False)
Target	Novalys.VisualGuard.NorthwindSample.SalesOrdersClass
Event	(Default) After loading the security
Condition	
Id	c0d82161-fdd2-4b8c-a68d-e34ed86c68f4

## Description

this.AllowToCreateNewOrder=False

1.1.2.3.3.5.1.1.1.3.

### **SalesOrdersList.SetProperties(cmdDelete.Enabled=False,cmdNew.Enabled=False)**

Property	Value
Name	SalesOrdersList.SetProperties(cmdDelete.Enabled=False,cmdNew.Enabled=False)
Target	Novalys.VisualGuard.NorthwindSample.SalesOrdersList
Event	Load
Condition	
Id	fcc7adf8-c02a-4828-ac34-232262e86f7f

## Description

On Event {Novalys.VisualGuard.NorthwindSample.SalesOrdersList.Load}

Execute

```
{
cmdDelete.Enabled=False
cmdNew.Enabled=False
}
```

1.1.2.3.3.5.1.1.1.4.

### **SalesOrder.SetProperties(cmdDelete.Enabled=False,cmdSave.Enabled=False)**

Property	Value
Name	SalesOrder.SetProperties(cmdDelete.Enabled=False,cmdSave.Enabled=False)
Target	Novalys.VisualGuard.NorthwindSample.SalesOrder
Event	Load
Condition	
Id	6b7d1a3e-9c3b-4b23-9195-437a55a8f063

## Description

On Event {Novalys.VisualGuard.NorthwindSample.SalesOrder.Load}

Execute

```
{
cmdDelete.Enabled=False
cmdSave.Enabled=False
}
```



### 1.1.2.3.3.6. Samples

Property	Value
Description	
Last Modification	2/18/2009 10:00 PM
Id	10a3e2dc-9ad6-48c1-a40f-fe404dd13f75

#### 1.1.2.3.3.6.1. Details of permissions

##### 1.1.2.3.3.6.1.1. Permission with argument(string MyValue=My default value)

Property	Value
Name	Permission with argument
Description	This permission is a sample of permission with argument. You can check if the permission is granted to the user by using the menu "Help/Retrieve information form permission" in the Winform Sample application
Full Name	\Samples\Permission with argument
MyValue	My default value
Last Modification	2/18/2009 10:00 PM
Id	07b21eb4-4bef-4a0d-83aa-adb90c31a992
Repository Id	07b21eb4-4bef-4a0d-83aa-adb90c31a992

#### Assigned to

Name	Description
Common permissions	Common permissions granted to all users. This permission set cannot be directly granted to role. It must be only used as sub permission sets
FullTrust permissions	Permissions granted to the administrator of the application

## 1.1.2.3.3.6.1.2. Permission with invalid actions

Property	Value
Name	Permission with invalid actions
Description	This permission contains an invalid action. This error has been added for demo purpose.
Full Name	\Samples\Permission with invalid actions
Last Modification	2/18/2009 10:00 PM
Id	d38d2f50-bb6c-4f0c-8cc3-601dd0c5ca72
Repository Id	d38d2f50-bb6c-4f0c-8cc3-601dd0c5ca72

### Assigned to

No items

## 1.1.2.3.3.6.1.2.1. Details of security actions

### 1.1.2.3.3.6.1.2.1.1. EmployeesList.SetProperties(this.WindowState=Normal)

Property	Value
Name	EmployeesList.SetProperties(this.WindowState=Normal)
Target	Novalys.VisualGuard.NorthwindSample.EmployeesList
Event	(Default) After loading the security
Condition	@InvalidProperty == 'InvalidProperty is a deleted property to resolve this problem replace it by Text'
Id	00e9e796-0c37-4b2c-ae53-aa3d23480926

### Description

When {InvalidProperty == 'InvalidProperty is a deleted property to resolve this problem replace it by Text'}

Execute

```
{
this.WindowState=Normal
}
```

### 1.1.2.3.3.6.1.3. **Script Action Sample(string Attribute1="My Value for attribute1",DateTime Attribute2=12/31/2006)**

Property	Value
Name	Script Action Sample
Description	This permission execute a dynamic script action. You can test this permission by clicking on the menu "Help/Sample of permission with script"
Full Name	\Samples\Script Action Sample
Attribute1	"My Value for attribute1"
Attribute2	12/31/2006
Last Modification	2/18/2009 10:00 PM
Id	c755dfa1-73a3-47cd-8260-b4f6c20e3018
Repository Id	c755dfa1-73a3-47cd-8260-b4f6c20e3018

### Assigned to

Name	Description
Common permissions	Common permissions granted to all users. This permission set cannot be directly granted to role. It must be only used as sub permission sets

### 1.1.2.3.3.6.1.3.1. **Details of security actions**

#### 1.1.2.3.3.6.1.3.1.1.

### **MDIForm.ExecuteScript(C0bdc638d4d3242179599990c0d76945a)**

Property	Value
Name	MDIForm.ExecuteScript(C0bdc638d4d3242179599990c0d76945a)
Target	Novalys.VisualGuard.NorthwindSample.MDIForm
Event	_scriptSampleMenuItem.Click
Condition	
Id	533f7ef6-f3ee-400a-bdda-aa667128f29e

### Description

On Event {Novalys.VisualGuard.NorthwindSample.MDIForm.\_scriptSampleMenuItem.Click}

Execute

{

Option Strict On

Option Explicit On

Imports Novalys.VisualGuard.NorthwindSample

Imports Novalys.VisualGuard.Security

Imports Novalys.VisualGuard.Security.Action

Imports System

Imports System.Collections

Imports System.Windows.Forms

Imports System.Text

Namespace Novalys.VisualGuard.DynamicScript

Public Class C0bdc638d4d3242179599990c0d76945a

Inherits Novalys.VisualGuard.Security.Action.VGDynamicScript

```
Public Overrides Sub Execute(ByVal target As Object, ByVal permission As
Novalys.VisualGuard.Security.VGIPermission, ByVal eventArgs() As Object)
```

```
'=====
```

```
' This script shows:
```

```
' * How to debug this script
```

```
' * How to use the different parameters of the function
```

```
' * How to get information about the current user
```

```
'=====
```

```
' => Debug
```

```
' All script actions can be see in the debugger
```

```
' If the current application is in debug mode, signals a breakpoint to the debugger
```

```
DebugBreak()
```

```
' => Parameter: target
```

```
' This parameter contains the object for which the action is executed
```

```
Dim main as MDIForm = CType(target, MDIForm)
```

```
main.Text = main.Text + " *****"
```

```
' => Parameter: permission
```

```
' Information about the current permission and its attributes
```

```
Dim sb As New StringBuilder
```

```
sb.AppendFormat("Current Permission : {0} (id={1})", permission.Name, permission.Id)
```

```
sb.Append(Environment.NewLine)
```

```
sb.AppendFormat(" * Value of the permission attribute 'Attribute1': {0}", permission("Attribute1"))
```

```
sb.Append(Environment.NewLine)
```

```
sb.AppendFormat(" * Value of the permission attribute 'Attribute2': {0}", permission("Attribute2"))
```

```
sb.Append(Environment.NewLine)
```

```
' => Parameter: eventArgs
```

```
' Information about the arguments of the event for which the action is executed.
```

```
' For example for a click event:
```

```
' * the first element in the array is the sender.
```

```
' * the second is the EventArgs.
```

```
If eventArgs.Length > 0 Then
```

```
sb.Append("Event Information")
```

```
sb.Append(Environment.NewLine)
```

```
For Each arg As Object In eventArgs
```

```
sb.AppendFormat(" * {0}", arg.GetType().ToString())
```

```
sb.Append(Environment.NewLine)
```

```
Next
```

```
Else
```

```
sb.Append("The event does not have any arguments")
```

```
sb.Append(Environment.NewLine)
```

```
End If
```

```
' => Principal
```

```
' Information about the current principal
```

```
sb.AppendFormat("Current User: {0}", VGSecurityManager.Principal.Identity.Name)
sb.Append(Environment.NewLine)
For Each role As VGGrantedRole In VGSecurityManager.Principal.Roles
    sb.AppendFormat("{0}, ", role.Name)
Next
MessageBox.Show(sb.ToString())
End Sub
End Class
End Namespace

}
```



## 1.1.2.3.3.7. Users

Property	Value
Description	
Last Modification	2/18/2009 10:00 PM
Id	1006efd0-fc9a-490d-8c4d-08c87ea1607c

### 1.1.2.3.3.7.1. Details of permissions

#### 1.1.2.3.3.7.1.1. Disable Membership edition

Property	Value
Name	Disable Membership edition
Description	Disable the creation or edition of the users of the application
Full Name	\Users\Disable Membership edition
Last Modification	2/18/2009 10:00 PM
Id	042e30c2-ca0f-4ce8-931f-8290fe98417e
Repository Id	042e30c2-ca0f-4ce8-931f-8290fe98417e

### Assigned to

Name	Description
Non administrator permissions	Common permissions granted to non administrator

### 1.1.2.3.3.7.1.1.1. Details of security actions

#### 1.1.2.3.3.7.1.1.1.1.

#### **MDIForm.SetProperties(\_usersMenuItem.Enabled=False)**

Property	Value
Name	MDIForm.SetProperties(_usersMenuItem.Enabled=False)
Target	Novalys.VisualGuard.NorthwindSample.MDIForm
Event	(Default) After loading the security
Condition	
Id	18c657be-64d5-4ab4-af59-35b4e9153402

### Description

\_usersMenuItem.Enabled=False





### 1.1.3. Details of users

#### 1.1.3.1. Admin

Property	Value
Logon Name	Admin
Password	*****
E-mail Address	ddf42@nyc.com
Password Question And Answer	Name of your hometown? (*****)
Description	This account is the default master administrator of the repository
Title	
First Name	
Last Name	
Start date	7/10/2006 9:24 AM
End date	10/10/2025 2:00 AM
Approved	True
Locked Out	False
Must change password at next logon	False
Creation Date	
Last Activity Date	8/31/2009 4:21 PM
Last Modification	8/31/2009 4:21 PM
Type	VisualGuardUser
Visual Guard Administrator	True
Id	admin

### Granted Roles

Name	Description
Visual Guard Console.Master Administrator	This role has unrestricted authority to access and modify most of Visual Guard repository
#Administrator	

1.1.3.2. **Guest**

Property	Value
Logon Name	Guest
Password	*****
E-mail Address	
Password Question And Answer	(None)
Description	
Title	
First Name	
Last Name	
Start date	3/4/2009 6:39 PM
End date	<Undefined>
Approved	True
Locked Out	False
Must change password at next logon	False
Creation Date	3/4/2009 6:39 PM
Last Activity Date	3/4/2009 6:39 PM
Last Modification	3/4/2009 6:39 PM
Type	VisualGuardUser
Visual Guard Administrator	False
Id	guest

**Granted Roles**

Name	Description
Web Sample.Guest	
WebService Sample.Default	

1.1.3.3. **jsmith**

Property	Value
Logon Name	jsmith
Password	*****
E-mail Address	john.smith@visual-guard.com
Password Question And Answer	The birthdate of my wife (*****)
Description	You can use this user to test the Visual Guard samples
Title	MR
First Name	John
Last Name	Smith
Start date	6/28/2007 2:39 PM
End date	<Undefined>
Approved	True
Locked Out	False
Must change password at next logon	False
Creation Date	6/28/2007 2:39 PM
Last Activity Date	6/4/2009 10:27 AM
Last Modification	6/4/2009 10:27 AM
Type	VisualGuardUser
Visual Guard Administrator	True
Id	jsmith

**Granted Roles**

Name	Description
Visual Guard Console.Restricted User Administor	Allows to manage users and roles of the applications for which the user is a member of 'Membership manager' role
Visual Guard Console.Auditor	
Visual Guard Console.Developer	Allows to create or edit application, permission, user and role but not repository. This role cannot grant Visual Guard built-in roles to a user
Visual Guard Console.Master Administrator	This role has unrestricted authority to access and modify most of Visual Guard repository
Visual Guard Console.User Administrator	Allows to create or edit users, roles and permission sets and disallows to create or edit applications, permissions and actions
Visual Guard Console.Restricted Auditor	
#UK HR Employee	
Web Sample.Membership Manager	Can use the Membership API to create, modify, delete and grant roles to users from the application.

### 1.1.3.4. New.user

Property	Value
Logon Name	New.user
Password	*****
E-mail Address	
Password Question And Answer	(None)
Description	
Title	
First Name	
Last Name	
Start date	3/24/2009 7:51 PM
End date	<Undefined>
Approved	True
Locked Out	False
Must change password at next logon	False
Creation Date	3/24/2009 7:51 PM
Last Activity Date	3/24/2009 7:51 PM
Last Modification	3/24/2009 7:51 PM
Type	VisualGuardUser
Visual Guard Administrator	False
Id	new.user

### Granted Roles

Name	Description
Web Sample.Guest	
WebService Sample.Default	

### 1.1.3.5. NOVALYS\chris.dufourmantelle

Property	Value
Logon Name	NOVALYS\chris.dufourmantelle
Description	
Creation Date	2/25/2009 5:52 PM
Last Modification	6/5/2009 2:11 PM
Type	WindowsAccount
Visual Guard Administrator	True
Id	S-1-5-21-4262505130-1600361440-3600298171-1149

### Granted Roles

Name	Description
Web Sample.Guest	
WebService Sample.Default	
#UK HR Employee	
Visual Guard Console.Master Administrator	This role has unrestricted authority to access and modify most of Visual Guard repository

**1.1.3.6. Unknown Windows****account(Name=NOVALYS\Administrateur;SID=S-1-5-21-4262505130-1600361440-3600298171-500)**

Property	Value
Logon Name	Unknown Windows account(Name=NOVALYS\Administrateur;SID=S-1-5-21-4262505130-1600361440-3600298171-500)
Description	
Creation Date	6/5/2009 7:12 PM
Last Modification	6/5/2009 7:12 PM
Type	WindowsAccount
Visual Guard Administrator	False
Id	S-1-5-21-4262505130-1600361440-3600298171-500

**Granted Roles**

Name	Description
Web Sample.Guest	
WebService Sample.Default	
#UK HR Employee	

**1.1.3.7. Unknown Windows**

**account(Name=NOVALYS\alexandra.delgado;SID=S-1-5-21-4262505130-1600361440-3600298171-1133)**

Property	Value
Logon Name	Unknown Windows account(Name=NOVALYS\alexandra.delgado;SID=S-1-5-21-4262505130-1600361440-3600298171-1133)
Description	
Creation Date	5/26/2009 5:15 PM
Last Modification	6/5/2009 7:08 PM
Type	WindowsAccount
Visual Guard Administrator	True
Id	S-1-5-21-4262505130-1600361440-3600298171-1133

**Granted Roles**

Name	Description
Visual Guard Console.Master Administrator	This role has unrestricted authority to access and modify most of Visual Guard repository
Visual Guard Console.User Administrator	Allows to create or edit users, roles and permission sets and disallows to create or edit applications, permissions and actions
Web Sample.Guest	
WebService Sample.Default	
#UK HR Employee	

### 1.1.3.8. Unknown Windows account(Name=NOVALYS\karine.feate;SID=S-1-5-21-4262505130-1600361440-3600298171-1214)

Property	Value
Logon Name	Unknown Windows account(Name=NOVALYS\karine.feate;SID=S-1-5-21-4262505130-1600361440-3600298171-1214)
Description	
Creation Date	6/4/2009 10:40 AM
Last Modification	6/4/2009 10:40 AM
Type	WindowsAccount
Visual Guard Administrator	True
Id	S-1-5-21-4262505130-1600361440-3600298171-1214

### Granted Roles

Name	Description
Visual Guard Console.Master Administrator	This role has unrestricted authority to access and modify most of Visual Guard repository
Web Sample.Guest	
WebService Sample.Default	

**1.1.3.9. Unknown Windows****account(Name=NOVALYS\megan.mcguire;SID=S-1-5-21-4262505130-1600361440-3600298171-1209)**

Property	Value
Logon Name	Unknown Windows account(Name=NOVALYS\megan.mcguire;SID=S-1-5-21-4262505130-1600361440-3600298171-1209)
Description	
Creation Date	7/9/2009 4:33 PM
Last Modification	7/9/2009 4:33 PM
Type	WindowsAccount
Visual Guard Administrator	True
Id	S-1-5-21-4262505130-1600361440-3600298171-1209

**Granted Roles**

Name	Description
Visual Guard Console.Restricted Auditor	
Visual Guard Console.Restricted User Administor	Allows to manage users and roles of the applications for which the user is a member of 'Membership manager' role
Web Sample.Guest	
WebService Sample.Default	
#Administrator	